

# Download File PDF Manual Repair Diagram

#Jenny



Finally I get this ebook, thanks for all these I can get now!

#Rio



Cool! I'am really happy

#Markus Jensen



I did not think that this would work, my best friend showed me this website, and it does! I get my most wanted eBook

#Hun Tsu



wtf this great ebook for free?!

#Che Salsa



My friends are so mad that they do not know how I have all the high quality ebook which they do not!


#Diego Butler




so many fake sites. this is the first one which worked! Many thanks

**CLUTCH SYSTEM**

8. Remove driver check-offset spacers from the transmission input shaft. **NOTE:** Remember to keep spacers in order for proper check-offset reassembly.



9. Remove cover screws and retainer plate.




10. Remove inner cover retaining bolts at rear of cover.

11. Remove cover along with flange seal on back of cover or shaft.

**PVT Installation**

1. Inspect PVT inner cover-to-engine seal. Replace if cracked or damaged. Align the edge next mark on the cover with the mark on the engine side.




2. Place a new seal on transmission input shaft.

3. Apply RTV silicone sealant to outside edge of inner cover-to-engine seal. Do not use a water tight fit between the seal and the cover on engine side. Surfaces must be clean to ensure adhesion of silicone sealant.

4. Reinstall cover and tighten rear cover bolts just enough to hold in place.

5. Fit lip of inner cover seal (A) to engine. Install seal retainer plate and tighten screws securely.

6. Torque rear inner cover bolts (B) to specification.



**Inner Cover Bolt Torque (B):**  
12 ft. lbs. (16.4 Nm)

[Download PDF version of :](#)  
**Manual Repair Diagram**