

# Download File PDF Marsupialization Cyst Manual Guide

#Jenny



Finally I get this ebook, thanks for all these I can get now!

#Rio



Cool! I'am really happy

#Markus Jensen



I did not think that this would work, my best friend showed me this website, and it does! I get my most wanted eBook

#Hun Tsu



wtf this great ebook for free?!

#Che Salsa



My friends are so mad that they do not know how I have all the high quality ebook which they do not!

#Diego Butler



so many fake sites. this is the first one which worked! Many thanks

LUMENIS Surgical

**Marsupialization and Evacuation of Epiglottal Mucus Retention Cyst Using AcuPulse™ 40WG CO<sub>2</sub> Laser System with FiberLase™ Flexible CO<sub>2</sub> Laser System**  
Case by Marc Nelissen, M.D. | CHU Middel Gedrukt, University of Leuven, Belgium  
ENT Technique Guide Series | Volume 12, No. 2, April 2012 | PB 1122180\_A

The FiberLase Flexible fibers enabled this flexible endoscopy procedure under local anesthesia for a geriatric patient with poor general health. The CO<sub>2</sub> laser provided adequate hemostasis when electrocautery could not be used.

**Preoperative**

- Past Medical History and Presenting Complaint**
- 83-year-old male, poor cardiac condition, emphysema
  - Progressive breathing difficulties over several months, mainly when in recumbent position
  - Swallowing difficulties with coughing episodes

- Relevant Physical Findings and Diagnostics**
- Transnasal video-endoscopy in office
    - Mucus retention cyst on lingual side of epiglottis
    - Cyst pushed epiglottis backward and downward, partially obstructing larynx

- Diagnosis**
- Epiglottal mucus retention cyst partially obstructing larynx

**Operative**

- Surgical Procedure**
- Due to patient's poor general health, decision was made to do a transnasal endoscopic procedure by passing the CO<sub>2</sub> laser axially through the operating channel of video endoscope
  - Procedure performed in ambulatory surgery operating room

- Anesthesia**
- Neck and emphysema, including tip of epiglottis, were anesthetized with lidocaine spray, 10%. In addition, 4-5 ml of lidocaine deposited into larynx through operating channel of endoscope

- Laser Accessories**
- FiberLase Flexible CO<sub>2</sub> laser fiber
  - Endoscope Protection Sheath to protect working channel of flexible endoscope

[Download PDF version of :](#)  
**Marsupialization Cyst Manual Guide**